

Simon*i*7



Elegant Simple Unique Sophisticated

simon
LIGHT UP EMOTIONS

www.simonelectric.com



Simon, S.A.(Spain)
Tel. +34 902 109100
Web. www.simonelectric.com

Simon Electric (China)
Tel. +86 21 3855 5222
Web. www.simon.com.cn

Simon Electric (APAC)
Web. www.simon-apac.com
E-mail. info@simon-apac.com

PT Simon Elektrik Indonesia
Tel. +62 21 52960373
Web. www.simonelektrik.co.id

simon

July 2022 Printed



Simon i7 Series

Elegant Simple
Unique Sophisticated

Simple and elegant as a piano



Its extensive face with vertical and proportionate lines gives a comfortable and desirable form. Adopting the latest technology, the switch and the socket have the same size. The visual effect is more aesthetically pleasant.

Multi-gang design

i7 series of switches and sockets have multi-gang frames (up to 5 gangs) with multiple combinations.




76 type mounting box is applied.

When multi-gang frames are used, a special SIMON mounting box is needed (60710-50) in order to emphasize the visual expression of the design.



Safe and soft push

The feeling is comfortable and easy as i7 adopts the J Shape Toggle system.



Due to the J shape toggle system, the angular movement is very precise (only 4.5 degrees) making the pushing feeling faster and safer.




Flexible wire, easy to connect




Child safety lock

Children safety lock rejects any plugs by abnormal objects, protect safety of family members.



The saddle shape of the terminal has a wider hole to fit with high section wire, which can satisfy family needs to power. The shape of the terminal avoid the wire to be damaged.



Simple and sophisticate

*The base and the frame are
integrated with the same design.*



Ultra extraordinary

The base and the frame are made from PC and steel materials, which has high strength and no deformation. The paint on steel base makes it isolated and anti-corrosion.



The matt and techno color effect can adapt to any interior style and gives a sophisticate feeling. Three color options: white, champagne, grey and black.

Exquisite colors



White



Champagne



Grey



Black



The new electronic technique enables energy saving

i7 adopts a new electronic technique, to achieve two-wire system (which can be suitable for incandescent, fluorescent, halogen and LED with only two wires), that enables saving energy and reducing the use of carbon.



Touch time delay



Presence detector



Voice and light



Type A + Type C USB Outlet

Type A + Type C USB outlet, convenience solution to charge all your electronic devices.


Wifi Router can achieve wire connect and wireless connect at the same time. It can save the space for wire. Install in multiple location to achieve fully cover of signal.



Type A + Type C
USB Outlet



Wifi Router



13A BS Switched
Socket Module
(13A 250V)



i7

HDMI+USB, VGA-3.5 outlet, AV-S outlet.
 i7 series TV, data and multi media sockets enable to meet the entertainment and working needs for both home and commercial usage.
 With i7, it is possible to enjoy entertainment and work efficiently.



Shaver Outlet





Keycard Switch



Doorbell Switch Module with "Do Not Disturb" & "Make Up Room" Indicator

Simon | Smart

Simon | i7



Download the app in: Google Play App store

Practical and Simple Just as You Imagine

A conventional switch capable of turning your house into a smart home.

i7 Simon Smart

- Light ON/OFF, Tunable white and Dimming, Curtain control, AC control, Scene setting
- Gateway, 6 Gang Remote Control Scene Switch



*6 Gang Remote Control Scene Switch any Light set (remotable)



Smart ZigBee Wall-mounted USB A+C Gateway(Wi-Fi)

Simon | i7

Elegant Simple Unique Sophisticated



White

Champagne

Grey

Black

COLOUR ▶

White

-46
Champagne

-61
Grey

-26
Black

Dimensions of Applicable Box

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

The codes are not included frames.

Switches

701011

1 Gang 1 Way Switch Module
(16AX 250V)



701012

1 Gang 2 Way Switch Module
(16AX 250V)



701013

1 Gang 1 Way Switch Module
with LED(16AX 250V)



701014

1 Gang 2 Way Switch Module
with LED(16AX 250V)



701026

1 Gang Intermediate Switch
Module(16AX 250V)



702023

20A Double Pole Switch Module
with LED(20AX 250V)



702024

20A 2 Way Double Pole Switch
Module with LED(20AX 250V)



703223

32A Double Pole Switch Module
with LED(32A 250V)



703224

32A 2 Way Double Pole Switch
Module with LED(32A 250V)



701021

2 Gang 1 Way Switch Module
(16AX 250V)



701022

2 Gang 2 Way Switch Module
(16AX 250V)



701023

2 Gang 1 Way Switch Module
with LED(16AX 250V)



701024

2 Gang 2 Way Switch Module
with LED(16AX 250V)



701046

2 Gang Intermediate Switch
Module(10AX 250V)



701031

3 Gang 1 Way Switch Module
(16AX 250V)



701032

3 Gang 2 Way Switch Module
(16AX 250V)



COLOUR ▶ White -46 Champagne -61 Grey -26 Black

Dimensions of Applicable Box

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

The codes are not included frames.

701033

3 Gang 1 Way Switch
Module with LED(16AX 250V)



701034

3 Gang 2 Way Switch
Module with LED(16AX 250V)



701041

4 Gang 1 Way Switch Module
(10AX 250V)



701042

4 Gang 2 Way Switch Module
(10AX 250V)



Push Button

701043

4 Gang 1 Way Switch Module
with LED(10AX 250V)



701044

4 Gang 2 Way Switch Module
with LED (10AX 250V)



701011F

1 Gang Push-button Switch
Module(16A 250V)



706301

Doorbell switch module
(16A 250V)



Tel, TV and Data Outlets

701687

Schuko Socket Module
(16A 250V)



705111

TV Outlet Module



705114

TV Outlet Module with
F Connector



705119

Twin TV Outlet Module



Socket-outlets

701021F

2 Gang Push-button Switch
Module(16A 250V)



701031F

3 Gang Push-button Switch
Module(16A 250V)



701041F

4 Gang Push-button Switch
Module(10A 250V)



701072

Twin 2 pin Socket Module
(10A 250V)



705119S

TV and TV with F
Connector Module



705214

Telephone Outlet Module
(RJ11)



705218

Data Outlet Module Cat.6



705224

Twin Telephone Outlet Module
(RJ11)



701080

2 Pin Socket and Multi-standard
Socket Module(10A 250V)



701087

Single EU-US with Earth
Socket Module(10A 250V)



711287

Twin Euro-US Socket (combined
with frame)(16A 250V)



701382

13A BS Switched Socket Module
(13A 250V)



705228

Twin Data Outlet Module Cat.6



705229

Telephone & Data Outlet Module



705301

Telephone & TV Outlet Module



705302

TV and Data Outlet Module Cat.6



The codes are not included frames.

Dimensions of Applicable Box

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

COLOUR ▶ White -46 Champagne -61 Grey -26 Black

701089

Multi-standard Socket Module
with Switch(13A 250V)



701582

15A BS Switched Socket Module
(15A 250V)



70E725

Multi-standard Socketwith Twin
USB Charger(13A 250V)



701384

13A BS Switched Socket Module
with USB chargers(13A 250V)



COLOUR ▶ White -46 Champagne -61 Grey -26 Black

Dimensions of Applicable Box

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

The codes are not included frames.

705401

Speakers Outlet Module



705402

Twin Speakers Outlet Module



700493

AV-S Multimedia Socket Module



700494

USB and HDMI Outlet Module



Control And Regulation

700495

VGA-3.5 and Audio Outlet Module



70E727

USB(5V 2.4A)+TYPE-C(45W) Module



70E723

Twin USB Socket with Switch Module



70E301

Presence Detector Switch Module (two wires)



70E302

Presence Detector Switch Module (three wires)



70E303

Presence Detector Switch Module (four wires)



70E102

200W LED Dimmer Switch Module



70E104

200W LED Dimmer Switch Module (1-10V)



70E201

200W Fan Regulator Switch Module



70E401

160W Voice and Light Control Switch Module



70E501

160W Touch Time Delay Switch Module



70E621

4-Channel Volume Control Switch Module(3 wires)



COLOUR ▶ White -46 Champagne -61 Grey -26 Black

Dimensions of Applicable Box

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

The codes are not included frames.

Hotel Solutions

D701022

2 Gang 2 Way Switch Module with "Do Not Disturb" & "Make Up Room"



D701024

2 Gang 2 Way Switch Module with "Do Not Disturb" & "Make Up Room" (with LED)



70E611

Doorbell Switch Module with "Do Not Disturb"Indicator



70E612

Doorbell Switch Module with "Do Not Disturb"&"Make Up Room" Indicator



45E611-61

"Do not Disturb", "Make Up room", "Wait A minute", "Someone In" Indicator



70E741

WiFi Router Module



70E601

KeyCard Switch Module



70E602

RFID KeyCard Switch Module



705901

Emergency Switch Module



714504

Shaver Socket (146) Module



70E651

Shaver Outlet Module



70E731

6000K Footlight Module



Others

70E732

3000K Footlight Module



70E733

3000K Sensory Footlight Module



701000

1 Gang Blank Plate



The codes are not included frames.

Smart Gateway **Smart Switch**

<p>S00E0-S008 Smart Zigbee Gateway (LAN)</p> 	<p>S00E0-S009 Smart Zigbee Gateway (WiFi)</p> 	<p>70E761TY Smart ZigBee Wall-mounted USB A+C Gateway(WiFi)</p> 	<p>70E838TY 1 Gang Smart Switch Module (200W/gang)</p> 
---	--	---	---

<p>70E855TY 1 Gang Smart Switch Module(20A) (4400W/gang)</p> 	<p>70E839TY 2 Gang Smart Switch Module (200W/gang)</p> 	<p>70E840TY 3 Gang Smart Switch Module (200W/gang)</p> 	<p>70E841TY 4 Gang Smart Switch Module (200W/gang)</p> 
--	--	---	--

Smart Easy Switch (No neutral)

<p>70E854TY 4 Gang Multifunction Smart Switch Module(2 scene+2 switch)(200W/gang)</p> 	<p>70E850TY 1 Gang Smart Easy Switch Module (>3W, 200W/Gang)</p> 	<p>70E851TY 2 Gang Smart Easy Switch Module (>3W, 200W/Gang)</p> 	<p>70E852TY 3 Gang Smart Easy Switch Module (>3W, 200W/Gang)</p> 
--	--	---	--

Smart Scene Switch *No load wires between switch and light

<p>681820TY 6 Gang Remote Control Scene Switch*</p> 	<p>70E842TY 1 Gang Smart Scene Remote Switch Module*</p> 	<p>70E843TY 2 Gang Smart Scene Remote Switch Module*</p> 	<p>70E844TY 3 Gang Smart Scene Remote Switch Module*</p> 
--	---	--	---

The codes are not included frames.

Smart Curtain Switch *4/5-Wire Strong Current Motor


<p>70E845TY 4 Gang Smart Scene Remote Switch Module*</p> 	<p>70E846TY 1 Gang Smart Curtain Switch Module*</p> 	<p>70E847TY 2 Gang Smart Curtain Switch Module*</p> 
---	--	--


Smart Tunable white and Dimming Set(with Smart KC1 light) *No load wires between switch and light

<p>70E853TY Smart Tunable White and Dimming Switch Module*</p> 	<p>N62E0-1157 Smart LED KC1 Tunable WH Module Max12W15°2700-6000K</p> 	<p>N62E0-1158 Smart LED KC1 Tunable WH Module Max12W24°2700-6000K</p> 	<p>N62E0-1159 Smart LED KC1 Tunable WH Module Max12W36°2700-6000K</p> 
--	---	---	---

<p>N62E0-1160 Smart LED KC1 Tunable WH Module Max12W60°2700-6000K</p> 	<p>N6524-0391 SC1 constant current Tunable WH + Dim driver (5W100mA36VDC)</p> 	<p>N6524-0392 SC1 constant current Tunable WH + Dim driver (7W160mA36VDC)</p> 	<p>N6524-0393 SC1 constant current Tunable WH + Dim driver (9W200mA36VDC)</p> 
--	--	--	--

<p>N6524-0394 SC1 constant current Tunable WH + Dim driver (12W300mA36VDC)</p> 	<p>N6524-0412 Zigbee module for SC1 driver</p> 
---	---

COLOUR ▶ White -46 Champagne -61 Grey -26 Black 

Dimensions of Applicable Box
 Plate: 86*86mm
 Box: 72*72mm
 Fixing Center: 60.3mm

The codes are not included frames.

Smart Dimming Switch

*TRIAC

70E848TY

1 Gang Smart Dimming Switch Module(200W/Gang)*




70E849TY

2 Gang Smart Dimming Switch Module(200W/Gang)*



COLOUR ▶ White -46 Champagne -61 Grey -26 Black

Dimensions of Applicable Box
 Plate: 86*86mm
 Box: 72*72mm
 Fixing Center: 60.3mm

Frames 76

700610

1 gang frame



700620

2 gang frame (86mm*162mm)



700630

3 gang frame (86mm*238mm)



Smart 0-10V dimming set(with any 0-10V light)

*No load wires between switch and light

70E856TY

1 Gang Smart Dimming Remote Switch(0-10V)*



70E857TY

2 Gang Smart Dimming Remote Switch(0-10V)*



N65E0-0017

Zigbee to 0-10V converter with on/off relay (800W/converter)



N6524-0412

Zigbee module for SC1 driver



700640

4 gang frame (86mm*314mm)



Smart Thermostat

*VRF,need customized AC gateway module

70E7024TY

Smart Central-AC Thermostat Module(FCU)



70E7028TY

Smart Ventilation System Module



70E7031TY

Smart AC Thermostat Module (VRF,Modbus open protocol)



Mounting Box

700650

5 gang frame (86mm*390mm)



60710-50

1 Gang Flush Mounting Box (use for 76 type)



COLOUR ▶

White

-46
Champagne-61
Grey-26
Black

Dimensions of Applicable Box



Plate: 86*86mm
 Box: 72*72mm
 Fixing Center: 60.3mm


Frames 86

700820

2 Gang frame
 (86mm*172mm)

**700830**

3 Gang Frame
 (86mm*258mm)

**700840**

4 Gang Frame
 (86mm*344mm)

**700850**

5 Gang Frame
 (86mm*430mm)



Mounting Box

45DH86

1 Gang Flush Mounting Box
 (use for standard 86 type)



— simon —
 LIGHT UP
 EMOTIONS